
THRUSTIMASTER®

F1-ADD-ON Paddle Shifts Kit

Assembly instructions



<u>Take care to follow the instructions carefully and retain all small parts (screws, springs, etc.) when</u>
<u>disassembly.</u>

Once the product has been opened, take the opportunity to remove any accumulated dust and dirt with a soft cloth or compressed air (at low pressure).

Summary

| 1. | Tools | 3 |
|------------|-------------|---|
| 2. | Content | 3 |
| 3. | Disassembly | 4 |
| 4 . | Reassembly | 6 |

1. Tools

| Phillips screwdriver S2 PH1 | |
|--------------------------------|--|
| Tweezers (Optional) | |

2. Content

Paddle kit

3. **Disassembly**

| Step | Action | Illustration |
|------|--|--|
| 1. | Unscrew the 2 screws from the front. | DIF IN DIF IN DIF IN THRUSTHARSTER K on THRUSTHARSTER THRUST |
| 1. | Tools: Philipps screwdriver | GRP O SP |
| 2. | Unscrew the 12 screws from the back. The 4 screws (On purple) placed on the middle are bigger than the others, take care to identified them for reassembly step. Tools: Phillips screwdriver | |

| 3. | Carefully unplug the 3 paddle shifts connectors. Tools: Tweezers | |
|----|---|--|
| 4. | Separate the two covers | |
| 5. | Unscrew the 4 screws from paddle shifter module. Tools: Phillips screwdriver | |

| 6. | Remove the paddle shifter module | |
|----|----------------------------------|--|
|----|----------------------------------|--|

4. Reassembly

| Step | Action | Illustration |
|------|---|--------------|
| 1. | Setting up the new module | |
| 2. | Screw the 4 screws from paddle shifter module. Tools: Phillips screwdriver | |

| 3. | Assemble the two covers and plug connectors. Tools: Tweezers | |
|----|---|--|
| 4. | Screw the 12 screws from the back. Tools: Phillips screwdriver | |
| 5. | Screw the 2 screws from the front. Tools: Phillips screwdriver | THRUSTMASTER ROLL OIF IN Soci OF OR OR OR OR OR OR OR OR OR OR |